

## 50 060 varnish remover

### product name:

- Varnish remover.

### ingredients:

- Alcohols, acetone, mineral spirit, natural oils.

### basic information:

- Medium for removing varnishes from paintings also covered with older natural varnishes.

### characteristics:

- For efficient resolving.

### handling:

- *Varnish remover* works more efficient on varnish layers than *oil of turpentine 50024 / 50102* or *turpentine substitute 50019*.
- Common use: Apply product sparingly with a soft lint-free cloth on a small area. Moisten the varnish with lightly (!) rotary motions and take it off. (Attention: The product should be left only very briefly on the surface of the picture. Take care with impasto art works: Such surfaces could be damaged mechanically if being rubbed to hard!)
- Many classic oil and tempera painting techniques use resins that can be removed using this product. Please make sure that no upper-most colour layers are softened or dissolved during cleaning!
- Always pre-test the product on an area that is not directly visible, e.g. at the edge of the picture in the fold region of the ornamental frame.
- We recommend that you have such work performed on valuable paintings by a professional restorer.
- Close immediately after use.
- Store in a cool and dry place.
- Individual pre-tests are required (see footer).

### product labeling:

- Please refer to the individual safety data sheet on our website [www.schmincke.de](http://www.schmincke.de).

DrK/01.07.2014

H. Schmincke & Co. GmbH & Co. KG · Otto-Hahn-Str. 2 · D - 40699 Erkrath ·  
Tel.: +49-211-2509-0 · [www.schmincke.de](http://www.schmincke.de) · [info@schmincke.de](mailto:info@schmincke.de)



The described product characteristics and example applications have been tested at the Schmincke laboratory. The information is based on the technical knowledge and experience which are presently available to us. In view of the diversity of applications with regard to painting techniques, materials and working conditions and the numerous possible influencing factors, the information refers to general areas of application. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application; use of the products is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept any liability for damage arising in connection with the use of our products.